AD	
	The second secon

Award Number: MIPR 1DCB8D1065

TITLE: LRMC Remote Nerve Fiber Laser Analysis

and Teleophthalmology Project

PRINCIPAL INVESTIGATOR: Todd David Hess

Christopher S. Allen, M.D.

CONTRACTING ORGANIZATION: Landstuhl Regional Medical Center

APO, AE 09180, Germany

REPORT DATE: December 2002

TYPE OF REPORT: Final

PREPARED FOR: U.S. Army Medical Research and Materiel Command

'Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;

Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY	2. REPORT DATE	3. REPORT TYPE AND	ID DATES COVERED C 00-31 Dec 02)			
(Leave blank)	December 2002	Final (31 Dec				
4. TITLE AND SUBTITLE	5. FUNDING NUMBERS MIPR 1DCB8D1065					
LRMC Remote Nerve Fibe and Teleophthalmology	MIFK IDCB	8D1003				
and rereophenarmorogy	FIOJECC					
6. AUTHOR(S)			1			
Todd David Hess						
Christopher S. Allen,	M.D.					
7. PERFORMING ORGANIZATION N	IAME(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION			
Landstuhl Regional Med			REPORT NUMBER			
APO, AE 09180, Germany				•		
E-Mail:						
9. SPONSORING / MONITORING				10. SPONSORING / MONITORING		
AGENCY NAME(S) AND ADDRE			AGENCY	REPORT NUMBER		
U.S. Army Medical Rese		and				
Fort Detrick, Maryland	21/02-5012					
11. SUPPLEMENTARY NOTES						
10 DIOTRIPLITION / AVAILABILIT	V OT A TELEFIER			LAN DISTRIBUTION SORE		
12a. DISTRIBUTION / AVAILABILIT Approved for Public Re		1.1		12b. DISTRIBUTION CODE		
Approved for Public Re	lease; Discribution on.	iiiiitea				
13. ABSTRACT (Maximum 200 Wo	rds)					
See attached.						
see accached.						
ĮI.						
14. SUBJECT TERMS		15. NUMBER OF PAGES				
No subject terms provi		15				
	<u> </u>	16. PRICE CODE				
17. SECURITY CLASSIFICATION	18. SECURITY CLASSIFICATION	10 SECULDITY OF ASSIS	ICATION	20. LIMITATION OF ABSTRACT		
OF REPORT						
Unclassified	Unclassified	Unclassif	ied	Unlimited		

TABLE OF CONTENTS

Cover

SF 298

Table of Contents

Abstract

Body

Key Research Accomplishments

Reportable Outcomes

Conclusions

Appendix A: Technical Summary

Appendix B: Funded Personnel and Participants

Appendix C: Supporting Documentation

Appendix D: Presentations, Posters, Publications

ABSTRACT

NERVE FIBER LAYER ANALYSIS TELECONSULTATION

Major Christopher S. Allen, Lieutenant Colonel Todd D. Hess, Major Jim H. Burden, Lieutenant Colonel Richard H. Birdsong, Department of Ophthalmology, Landstuhl Regional Medical Center, Germany

Objective: To test the efficacy and efficiency of transmitting digital nerve fiber layer analysis (Gdx) results via e-mail for teleconsultation.

Methods: Retrospective study using 30 random Gdx images from 30 eyes. The images were printed on regular 8.5 X 11 inch paper from the Gdx printer. Patient identifiers were removed and the paper image was scanned using a Hewlett Packard ScanJet ADF and saved as JPEG files on a personal computer. The 30 scanned image files were emailed to three military glaucoma consultants via the World Wide Web using Outlook. The 30 printed, paper images were mailed via United States Postal Service to each of the three consultants along with a questionnaire asking the glaucoma consultants to evaluate the quality of the emailed Gdx images compared to the original paper Gdx printouts.

Results: The Gdx images were easily printed out from the Gdx machine and scanned. It took less than 20 seconds to save a Gdx image as a JPEG file. It took less than 10 seconds to send the email message with the scanned Gdx attachments. Two of the three glaucoma specialists felt quality of emailed images where sufficient and would feel comfortable using them in place of the original image.

Conclusion: Electronic transmission of Gdx images via email was easy and efficient. Two of the three glaucoma consultants felt the emailed Gdx images were of sufficient quality to use instead of the original hard copy. This method of consultation could prevent unnecessary air evacuations to CONUS saving thousands of dollars and hundreds of man-hours, however due to our patient population this benefit was not realized.

BODY

Nerve Fiber Layer Analysis Teleconsultation

• Funding: FY01 \$75,400

 Funds used to purchase: Laser Diagnostic Technologies GDx Nerve Fiber Layer Analyzer

MIPR # 1DCB8D1065

Introduction:

Telemedicine remains a very interesting area for military medicine, as with its implementation, specialist and subspecialist consultations at larger centers can be obtained for patients in remote areas without necessitating patient transport. The potential for savings and decreased mission down time are enormous. Very little is known, however, about the suitability of various types of images for transmission. This area is remains relatively uncharted in the medical literature.

GDx is an adjunctive instrument used in the diagnosis and management of glaucoma. It uses scanning laser light to measure nerve fiber layer thickness around optic nerve. Data is analyzed by the GDx computer and a print out on 8.5 in x 11 in paper generated. This information is useful in evaluating optic nerve for damage.

Methods:

This was a retrospective study using 30 random Gdx images from 30 eyes. The images were printed on regular 8.5 X 11 inch paper from the Gdx printer. Patient identifiers were removed and the paper image was scanned using a Hewlett Packard ScanJet ADF and saved as JPEG files on a personal computer. The 30 scanned image files were emailed to three military glaucoma consultants via the World Wide Web using Outlook. The 30 printed, paper images were mailed via United States Postal Service to each of the three consultants along with a questionnaire asking the glaucoma consultants to evaluate the quality of the emailed Gdx images compared to the original paper Gdx printouts.

Results:

The Gdx images were easily printed out from the Gdx machine and scanned. It took less than 20 seconds to save a Gdx image as a JPEG file. It took less than 10 seconds to send the email message with the scanned Gdx attachments. Two of the three glaucoma specialists felt quality of emailed images where sufficient and would feel comfortable using them in place of the original image. Listed below in table format are results for questions 1 thru 8 of the questionnaire. Raters BF, ED, and LF answered 8 questions for each of the 30 images. The mean score as well as range of scores are listed for each question by rater.

Rater	Ques 1	Ques 2	Ques 3	Ques 4	Ques 5	Ques 6	Ques 7	Ques 8
	Mean	Mean						
	(range)	(range)						
BF	1 (1-1)	6.1 (5-9)	5.7 (3-6)	8.9 (7-9)	8.9 (7-9)	7.8 (5-9)	9.0 (8-10)	8.9 (8,9)
ED	2.7 (2-7)	4.1 (2-6)	2.7 (1-4)	3.1 (2-4)	3.1 (2-8)	4.1 (2-7)	3.1 (1-7)	7.3 (2-9)
LF	1 (1-1)	8.6 (4-	8.4 (4-	9.2 (4-	9.17 (4-	9.3 (5-	9.2 (5-10)	10 (10-

	10)	10)	10)	10)	10)	10)

Cost of care pillar:

Potential for cost savings by preventing unnecessary airevacuations by giving CONUS glaucoma specialists pertinent visual data with which to render opinion.

• Access to care pillar:

Tremendous potential increase in access of patient data to subspecialty consultation only available at major medical centers

•Quality of care pillar:

Dramatic potential for increased quality by allowing rapid consultation with sub specialists not available in theatre

•Problems encountered:

- 1. Due to the relatively healthy young population with relatively uncomplicated glaucoma our clinic does not generate a sufficient number of abnormal Gdx Studies to supply an adequate N for statistical study. We could not evaluate actual cost savings since no glaucoma patients were severe enough to require air evacuation for higher level care.
- 2. We did not take delivery of GDx device until March 2001 delaying start of study.
- 3. There was a significant delay in starting the study due to IRB/human use approval process which resulted in the decision to use pre-existing data to meet reporting timelines.
- 3. The OPSTEMPO of LRMC with OEF workload in addition to Warfighter Refractive Surgery Program start-up limited time for the telemedicine study
- 4. The neuro-ophthalmologist at LRMC interested in using GDx for teleconsultation PCS'd prior to study beginning limiting eligible patients

AMEDD applicability:

This study showed efficacy but limited usefulness in European theatre due to low incidence of glaucoma. This device could be very useful in a rural area with a large, elderly, retiree population with a higher incidence glaucoma without access to glaucoma specialist

CONCLUSIONS:

Electronic transmission of Gdx images via email was easy and efficient. This technology has potential to prevent unnecessary air evacuations to CONUS saving thousands of dollars and hundreds of man-hours. Due to the limitations described above this potential was unrecognized and will likely remain so. We would not recommend the Gdx for AMEDD wide adoption. We recommend leaving the decision up to individual clinics based on local need.

KEY RESEARCH ACCOMPLISHMENTS

We determined that the Gdx images could be sent efficiently with good quality via the internet from Europe to CONUS.

Two of the three glaucoma specialists felt quality of emailed images where sufficient and would feel comfortable using them in place of the original image.

We determined that due to patient population statistics in our catchment area that the Gdx technology is not as useful as it might be in other situations.

REPORTABLE OUTCOMES

We determined that the Gdx images could be sent efficiently with good quality via the internet from Europe to CONUS.

Two of the three glaucoma specialists felt quality of emailed images where sufficient and would feel comfortable using them in place of the original image.

We determined that due to patient population statistics in our catchment area that the Gdx technology is not as useful as it might be in other situations.

CONCLUSIONS

Electronic transmission of Gdx images via email was easy and efficient. This technology has potential to prevent unnecessary air evacuations to CONUS saving thousands of dollars and hundreds of man-hours. Due to the limitations described above this potential was unrecognized and will likely remain so. We would not recommend the Gdx for AMEDD wide adoption. We recommend leaving the decision up to individual clinics based on local need.

APPENDIX A: TECHNICAL SUMMARY

Laser Diagnostic Technologies GDx Nerve Fiber Layer Analyzer was instrument used for the study.

Print outs of GDx analysis were scanned using a Hewlett Packard ScanJet ADF and saved as JPEG files on a personal computer.

JPEG files were emailed using outlook from ophthalmology clinic personal computer

APPENDIX B: FUNDED PERSONNEL AND PARTICIPANTS

PI: Todd Hess

Assistant PI and executer of study: Christopher S. Allen

Glaucoma specialists:

Erin Doe Lilia Fanin William Flynn

APPENDIX C: SUPPORTING DOCUMENTATION

Gdx (nerve fiber layer analysis) Study Questionnaire Part One

After opening the attached Gdx image file from the Internet answer the questions below.
Please note the Gdx ID # (found top center of printout) here
1) How long did it take you to open the file (from the time you clicked on the attachment
to the time the image appeared on your screen for review). Please pick a number
between 1 and 7.

1) 1-5 seconds. --- 2) 6-15 seconds ---- 3) 16- 30 seconds --- 4) 31- 60 seconds.--- 5) 61 - 180 seconds----- 6) greater than 181 seconds (3 minutes)----- 7) could not open file.

After reviewing the electronically transmitted Gdx image please answer the questions below. (This is done prior to reviewing the original Gdx printout)

2) How would you rate the quality of the "scanning laser image of the disc" (top left image) of the transmitted Gdx printout on a scale of 1 to 10 (1 being poor quality and 10 being very good quality). Quality is defined as ability to distinguish the necessary clinical information from the picture to have it be useful in clinical practice.

$$1 \hbox{----} 2 \hbox{----} 3 \hbox{----} 4 \hbox{----} 5 \hbox{----} 6 \hbox{----} 7 \hbox{----} 8 \hbox{----} 9 \hbox{----} 10$$

3) How would you rate the quality of the "retinal nerve fiber layer analysis image" (top right image) of the transmitted Gdx printout on a scale of 1 to 10 (1 being poor quality and 10 being very good quality). Quality is defined as ability to distinguish the necessary clinical information from the picture to have it be useful in clinical practice.

$$1 \hbox{----} 2 \hbox{----} 3 \hbox{----} 4 \hbox{----} 5 \hbox{----} 6 \hbox{----} 7 \hbox{----} 8 \hbox{----} 9 \hbox{----} 10$$

4) How would you rate the overall quality of the electronically transmitted Gdx printout (the entire printout) on a scale of 1 to 10 (1 being poor quality and 10 being very good quality). Quality is defined as the ability to distinguish the necessary clinical information from the entire electronically transmitted Gdx printout to have it be useful in clinical practice.

Gdx (nerve fiber layer analysis) Study Questionnaire

PART TWO

Now compare the electronically transmitted Gdx printout to the original Gdx printout and answer the questions below. Please ensure the number identifier of the original matched the number identifier of the e-mailed version.


5) How would you rate the quality of the "scanning laser image of the disc and peripapillary area" on the electronically transmitted Gdx printout compared to the original Gdx printout on a scale of 1 to 10 (1 being poor quality and 10 being very good quality). Quality is defined as ability to distinguish the necessary clinical information from the picture to have it be useful in clinical practice.

6) How would you rate the overall quality of the electronically transmitted Gdx printout compared to the original on a scale of 1 to 10 (1 being poor quality and 10 being very good quality). Quality is defined as ability to distinguish the necessary clinical information from the picture to have it be useful in clinical practice.

7) How would you rate your confidence in being able to use the electronically transmitted Gdx printout instead of the original Gdx printout in clinical practice on a scale of 1 to 10 (1 being not confident at all and 10 being very confident).

8) How would you rate the overall efficiency (ease of use) of receiving and opening the Gdx e-mail attachments on a scale of 1 to 10 (1 being very cumbersome and difficult to use and 10 being easy to use).

Example of Gdx image



APPENDIX D: PRESENTATIONS, POSTERS, PUBLICATIONS

Power point presentation for final report in California as well as for Air Force Clinical Surgeon's Meeting in Las Vegas. The powerpoint presentation is available via email with graphics. Mr. Winston has copy of presentation.